



# Intermediate Channel

---

**Application:** Primary section to support the ceiling section

Dimensions in (mm)

**15 x 45 x 15 x 3660**



# Perimeter Channel

---

**Application:** Fix around walls/partitions

Dimensions in (mm)

**20 x 28 x 30 x 3660**



# Ceiling Section

---

**Application :** The main supporting section to fix plasterboard

Dimensions in (mm)

**80 X 26 X 53 X 3660**



# Ceiling Angle

---


**Application:** To provide suspensions from the structural soffit

Dimensions in (mm)

**25 X 10 X 3660**

# GYPFRAME<sup>®</sup> XPERT

## CEILING SECTION



Thickness in (mm)

**0.4**





Dimensions in (mm)

**76 x 42 x 20 x 2440**

**76 x 42 x 20 x 3660**

# GYPFRAME<sup>®</sup> XPERT

## INTERMEDIATE CHANNEL



Thickness in (mm)

**0.6**




Dimensions in (mm)

**45x15x15x2440**

**45x15x15x3660**

# GYPFRAME<sup>®</sup> XPERT PERIMETER CHANNEL



Thickness in (mm)

**0.4**





Dimensions in (mm)

**30x21x20x2440**

**30x21x20x3660**

# GYPFRAME<sup>®</sup> XPERT

## CEILING ANGLE



Thickness in (mm)

**0.4**





Dimensions in (mm)

**25x10x2440**

**25x10x3660**

# **GYPFRAME<sup>®</sup> XPERT**

## **FLOOR & CEILING CHANNEL**



Thickness in (mm)


**0.45**



Dimensions in (mm)

**50x30x30x3660**

# GYPFRAME<sup>®</sup> XPERT STUD



Thickness in (mm)

**0.45**



Dimensions in (mm)

**48x30x31x3660**

**48x30x31x3050**

# **GYPFRAME<sup>®</sup> MEGASTIL<sup>™</sup>**

## **CEILING SECTION**



Dimensions in (mm)

**0.45 x 76 x 20 x 42 x 3660**

# GYPFRAME<sup>®</sup> MEGASTIL<sup>™</sup> INTERMEDIATE SECTION



Dimensions in (mm)

**0.7 x 15 x 45 x 15 x 3660**

# **GYPFRAME<sup>®</sup> MEGASTIL<sup>™</sup>**

## **CEILING ANGLE**



Dimensions in (mm)

**0.45 x 25 x 10 x 3660**

# **GYPFRAME<sup>®</sup> MEGASTIL<sup>™</sup>**

## **PERIMETER CHANNEL**



Dimensions in (mm)

**0.45 x 20 x 21.5 x 30 x 3660**